

COMPOUNDED CLAY AND CLAY COMPOSITE MATERIAL AND PRODUCTION THEREOF

Patent Number:

JP9227778

Publication date:

1997-09-02

Inventor(s):

USUKI ARIMITSU;; OKADA AKANE

Applicant(s):

TOYOTA CENTRAL RES & DEV LAB INC

Requested Patent:

☐ JP9227778

Application Number: JP19960061924 19960222

Priority Number(s):

IPC Classification: C08L83/04; C08K3/34; C08K9/04; C08L71/02

EC Classification:

Equivalents:

Abstract

PROBLEM TO BE SOLVED: To produce a compound clay and a clay composite maternal capable of uniformly dispersing a clay mineral in a polymer at a molecular level and provide a method for producing both.

SOLUTION: This compounded clay comprises a layer clay mineral 7 dispersed in an infinitely swollen state as a layer unit in matrix molecules 1 having nonpolar side chains 10. The matrix molecules 1 are composed of a polysiloxane or a polyoxyalkylene. Organic onium ions 6 and the matrix molecules 1 are interposed between layers of the layer clay mineral 7. The layer clay mineral 7 is bonded to the organic onion ions 6 through ionic bonding and further to he matrix molecules 1 through hydrogen bonding. The molecular length of the nonpolar side chains 10 in the matrix molecules 1 is same as or larger than that of an organic main chain part of the organic onium ions 6.

Data supplied from the esp@cenet database - I2